





## Husqvarna K 1 PACE

K 1 PACE high power battery cutter has the power and performance you expect from equivalent petrol-powered cutters. Equipped with X-Halt™ brake function for operational safety. Ergonomic and user-friendly with low vibrations, optimally balanced machine and zero CO₂ emissions during use. With built-in connectivity so you can easily monitor machine location, runtime, service intervals and receive wireless updates through FOTA (firmware over the air). Powered by Husqvarna PACE battery system with high power and fast charging for impressive productivity and a well-suited match with our specially designed battery blade range for maximised cutting depth and optimised performance. Suitable for concrete pipes, conrete garden plates, cinder blocks etc.

## **Specifications**

Engine		^
Power source	Battery	
Motor		^
Battery eco system	PACE	
Cutting equipment		^
Cutting depth, max	145 mm	
Blade diameter, max	361 mm	
Arbor diameter	25.4/20 mm	
Blade thickness, max	1.8 mm	
Peripheral speed, max	59 m/s	
Coolant	Wet /dry	
Dimensions		^
Product size length	648 mm	
Product size width	233 mm	
Product size height	423 mm	
Weight (complete product w/o side packed articles)	7.4 kg	
Packaging length	723 mm	

Packaging width	261 mm
Packaging height	460 mm
Article gross weight	12,100 g

## Sound and noise

$\wedge$
----------

Sound pressure level at operators ear	102 dB(A)	

## **Vibration**



Vibrations left/front handle	2.2 m/s <sup>2</sup>
Vibrations right/rear handle	1.2 m/s²







